



WELDED GABION Ordring Information



A You know how to choose the welded gabion?



A: You need confirmation:

Long x Width x High (m) Welded gabion quantity (number of untis) Gabion size reference: $1 \times 0.3 \times 1m$; $1 \times 0.5 \times 1m$; $0.5 \times 0.5 \times 0.5m$; $2 \times 1 \times 0.5m$; $2 \times 0.5 \times 0.5m$; $2 \times 0.5 \times 1m$; $2 \times 0.5 \times 1m$; $2 \times 1 \times 1m$; $2 \times 1 \times 0.5m$;etc.

Choose or not diaphragm. Any rule can be done.



Gabion wire requirements:

- 1. Wire Diameters;
- 2. Wire PVC-coated and Metallic-coated;
- (1) PVC-coated Including PE and PVC, Coated technology: Spray coating and Dip plastic.
- Metallic-coated including: Zinc-5% / Zinc-10% aluminum-mischmetal (GALFAN). High hot-dip galvanized(256g/m²); Hot dip galvanized; High hot-dip galvanized.
- **3.** Optional colors of Welded Gabion




Optional colors of metal mesh

С

Mesh welding process


1, Galvanized after welding;



2. Galvanized before welded;



D Choose the mesh opening;



Some special specifications can be customized according to the clients' Requirements.



We will make the package for your requests, please don't worry.